

Nginx Configuration Guide

- [Preface](#)
 - [Getting Help](#)
 - [Conventions](#)
- [DFdiscover Web Applications - NGINX Setup Documentation](#)
 - [Overview](#)
 - [Network Configuration](#)
 - [Nginx Reverse Proxy Configuration](#)
 - [Complete Server Block Configuration](#)
 - [Server-Level Directives](#)
 - [Location Block Priority](#)
 - [Proxy Headers](#)
 - [WebSocket Support](#)
 - [Security Features](#)
 - [DFweb Application configuration for Nginx](#)
 - [Access Information](#)
 - [Configuration](#)
 - [Application Structure](#)
 - [Request Flow](#)
 - [Nginx Location Block for DFweb](#)
 - [Troubleshooting](#)
 - [DFengage Application](#)
 - [Access Information](#)
 - [Configuration](#)
 - [Application Structure](#)
 - [Request Flow](#)
 - [Nginx Location Blocks for DFengage](#)
- [Catch-all route \(default to DFengage\)](#)
 - [Troubleshooting](#)
 - [DFws \(Web Service API\) Configuration for Nginx](#)
 - [Access Information](#)
 - [Important for Application Configuration](#)
 - [API Call Flow Example](#)
 - [Configuration](#)
 - [Core Settings](#)
 - [Understanding DFWS_REVERSE_PROXY](#)
 - [Optional Configuration Settings](#)
 - [Nginx Location Block for DFws](#)
 - [Troubleshooting](#)
 - [General Troubleshooting](#)
 - [Connection Issues](#)
 - [SSL Certificate Issues](#)
 - [502 Bad Gateway Errors](#)
 - [Redirect Loop Issues](#)
 - [Performance Issues](#)
 - [Administration Guide](#)
 - [Service Restart Order](#)
 - [Configuration File Locations](#)
 - [Log File Locations](#)
 - [Testing Configuration Changes](#)
 - [Monitoring Commands](#)
 - [SELinux Configuration](#)
 - [Verify SELinux Status](#)

- [Nginx SELinux Boolean](#)
- [Port Labeling](#)
- [DFdiscover Application SELinux Policy](#)
- [Troubleshooting SELinux Denials](#)
- [Technical Specifications](#)
 - [Supported Features](#)
 - [Network Requirements](#)
 - [Common Error Codes](#)
- [Copyrights](#)
 - [External Software Copyrights](#)
 - [DCMTK software package](#)
 - [Jansson](#)
 - [Mimencode](#)
 - [RSA Data Security, Inc., MD5 message-digest algorithm](#)
 - [mpack/munpack](#)
 - [TIFF](#)
 - [PostgreSQL](#)
 - [OpenSSL License](#)
 - [Original SSLeay License](#)
 - [gawk](#)
 - [Ghostscript](#)
 - [MariaDB and FreeTDS](#)
 - [QtAV](#)
 - [FFmpeg](#)
 - [c3.js](#)
 - [d3.js](#)
 - [jwt-cpp](#)
 - [QXlsx](#)

Preface

DFdiscover Release 5.11.0

All rights reserved. No part of this publication may be re-transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of DF/Net Research, Inc. Permission is granted for internal re-distribution of this publication by the license holder and their employees for internal use only, provided that the copyright notices and this permission notice appear in all copies.

The information in this document is furnished for informational use only and is subject to change without notice. DF/Net Research, Inc. assumes no responsibility or liability for any errors or inaccuracies in this document or for any omissions from it.

All products or services mentioned in this document are covered by the trademarks, service marks, or product names as designated by the companies who market those products.

Google Play and the Google Play logo are trademarks of Google LLC. Android is a trademark of Google LLC.

App Store is a trademark of Apple Inc.

Feb 25 2026

Copyright © 2026 DF/Net Research, Inc.

Getting Help

For software support, Please contact the DFdiscover team:

- via email, help@dfnetresearch.com.
- Visit our website, <https://www.dfnetresearch.com>.

Conventions

A number of conventions have been used throughout this document.

Any freestanding sections of code are generally shown like this:

```
# this is example code
code = code + overhead;
```

If a line starts with # or %, this character denotes the system prompt and is not typed by the user.

Text may also have several styles:

- Emphasized words are shown as follows: *emphasized* words.
- Filenames appear in the text like so: dummy.c.
- Code, constants, and literals in the text appear like so: main.c.
- Variable names appear in the text like so: nBytes.
- Text on user interface labels or menus is shown as: **Printer name**, while buttons in user interfaces are shown as .
- Menus and menu items are shown as: > .

DFdiscover Web Applications - NGINX Setup Documentation

Overview

This document describes the configuration and architecture of the DFdiscover web application suite running on `example.com` with multiple network interfaces configured. The system uses nginx as a reverse proxy to route traffic to three backend applications: DFweb, DFengage, and DFws.

This system uses multiple network interfaces with the following configuration:

Component	Network Interface	IP Address	Port
DFdiscover	NIC1	10.2.0.9	443
Nginx Reverse Proxy	NIC2	10.2.0.4	443
DFweb	NIC2	10.2.0.4	8443
DFengage	NIC2	10.2.0.4	9443
DFws	NIC2	10.2.0.4	4433

IMPORTANT: The specific IP addresses (10.2.0.4 and 10.2.0.9) are only required in the configurations due to multiple services are running on the same server with multiple network interfaces. If you are deploying these applications on separate servers (one application per server), you do not need to specify IP addresses for port binding—the applications can bind to all available interfaces (0.0.0.0) by default.

When to specify IP binding:

- Multiple applications on one server with multiple NICs
- Need to isolate traffic on specific network interfaces
- Single application per server (IP binding not required)
- Server has only one network interface (IP binding not required)

Network Configuration

- **Public Entry Point:** `https://example.com` (Port 443)
- **Server IP:** `10.2.0.4`
- **Protocol:** HTTPS with TLS 1.3 encryption
- **SSL Certificates:**
 - Certificate: `/etc/ssl/certs/server.crt`
 - Private Key: `/etc/ssl/private/server.key`

Nginx Reverse Proxy Configuration

The main nginx configuration is located at: `/etc/nginx/conf.d/default.conf`

Complete Server Block Configuration

```
``nginx server { listen 10.2.0.4:443 ssl http2; server_name example.com;

ssl_certificate /etc/ssl/certs/server.crt; ssl_certificate_key /etc/ssl/private/server.key; ssl_protocols TLSv1.3;

client_max_body_size 50M; server_tokens off; merge_slashes off;

# ----- DFWEB (Priority Match) ----- location ^~/dfweb/ { proxy_pass
https://example.com:8443/dfweb/; proxy_http_version 1.1;

    proxy_set_header Host $host;
    proxy_set_header X-Real-IP $remote_addr;
    proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
    proxy_set_header X-Forwarded-Proto https;
    proxy_set_header X-Forwarded-Port 443;

    proxy_set_header Upgrade $http_upgrade;
    proxy_set_header Connection "upgrade";

    proxy_ssl_server_name on;
    proxy_ssl_verify off;
}

location = /dfweb { return 301 /dfweb/?$args; }

# ----- DFENGAGE (Priority Match) ----- location ^~/dfengage/ { proxy_pass
https://example.com:9443/dfengage/; proxy_http_version 1.1;
```

```

proxy_set_header Host $host;
proxy_set_header X-Real-IP $remote_addr;
proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
proxy_set_header X-Forwarded-Proto https;
proxy_set_header X-Forwarded-Port 443;

proxy_set_header Upgrade $http_upgrade;
proxy_set_header Connection "upgrade";

proxy_ssl_server_name on;
proxy_ssl_verify off;
}

location = /dfengage { return 301 /dfengage/?$args; }

#----- DFWS (Priority Match) ----- location ^~/dfws/ { proxy_pass https://example.com:4433;
proxy_http_version 1.1;

# FORCE the Host header to match what the backend expects
proxy_set_header Host example.com;

# SNI must match the certificate CN=*.example.com
proxy_ssl_server_name on;
proxy_ssl_name example.com;

# Matches the TLS version seen in your curl output
proxy_ssl_protocols TLSv1.3;

# Standard proxy headers
proxy_set_header X-Real-IP $remote_addr;
proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
proxy_set_header X-Forwarded-Proto https;

proxy_ssl_verify off;
}

#----- DFENGAGE (Catch-all, must be last) ----- # DFWEB Catch-all modify proxy_pass
/dfengage to /dfweb ----- location / { proxy_pass https://example.com:9443/dfengage; proxy_http_version 1.1;

proxy_set_header Host $host;
proxy_set_header X-Real-IP $remote_addr;
proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
proxy_set_header X-Forwarded-Proto https;
proxy_set_header X-Forwarded-Port 443;

proxy_set_header Upgrade $http_upgrade;
proxy_set_header Connection "upgrade";

proxy_ssl_verify off;
proxy_ssl_server_name on;
}}'''

```

Server-Level Directives

Directive	Value	Purpose
listen	10.2.0.4:443 ssl http2	Binds to specific IP (exclude IP if you are not utilizing multiple NIC's), enables SSL/TLS and HTTP/2
server_name	example.com	Defines the domain name for this server block
ssl_certificate	/etc/ssl/certs/server.crt	Path to SSL certificate file
ssl_certificate_key	/etc/ssl/private/server.key	Path to SSL private key
ssl_protocols	TLSv1.3	Restricts to TLS 1.3 only (most secure)
client_max_body_size	50M	Maximum allowed size for file uploads
server_tokens	off	Hides nginx version in response headers
merge_slashes	off	Prevents URL path traversal attacks

Location Block Priority

The location blocks are processed in this specific order:

- Exact Match Redirects** (`location = /dfweb` and `location = /dfengage`)
 - Returns 301 redirect to add trailing slash
 - Ensures consistent URL formatting
- Priority Prefix Matches** (`location ^~ /path/`)
 - `/dfweb/` → Routes to DFweb application on port 8443
 - `/dfengage/` → Routes to DFengage application on port 9443
 - `/dfws/` → Routes to DFws API on port 4433
- Catch-All Match** (`location /`)
 - Routes all other requests to DFengage (default application)

NOTE: Configurations can be modified for the default application of **DFweb** by modifying the `proxy_pass`
`https://example.com:9443/dfengage;` values to `proxy_pass`
`https://example.com:8443/dfweb;`

Proxy Headers

The following headers are set for all proxied requests to preserve client information:

Header	Purpose	Example Value
Host	Original hostname	example.com
X-Real-IP	Client's actual IP address	192.168.1.100
X-Forwarded-For	Chain of proxy IPs	192.168.1.100, 10.2.0.4
X-Forwarded-Proto	Original protocol	https
X-Forwarded-Port	Original port	443

WebSocket Support

All applications support WebSocket connections for real-time communication:

- **Header Forwarding:** Standard WebSocket upgrade headers are preserved
- **Protocol Upgrade:** HTTP/1.1 with upgrade to WebSocket protocol
- **Connection:** Set to "upgrade" for persistent connections

Security Features

- **Protocol:** TLS 1.3 only (most secure version)
- **Certificate:** Wildcard certificate for *.example.com
- **Server Tokens:** Disabled (hides nginx version information)
- **Upload Limits:** Maximum 50 MB file uploads
- **Additional Security:**
 - URL slash merging is disabled to prevent path traversal attacks
 - Backend SSL verification is disabled (internal network trust)
 - All traffic is encrypted end-to-end

DFweb Application configuration for Nginx

Access Information

- **Primary URL:** https://example.com/dfweb/
- **Backend Port:** 8443
- **Base Directory:** /opt/dfweb/

IMPORTANT: Accessing /dfweb without the trailing slash will automatically redirect to /dfweb/

Configuration

File Location: /opt/dfweb/environment.json

```
{
  "dfws": "https://example.com",
  "port": "8443",
  "baseHref": "dfweb"
}
```

IMPORTANT: The `dfws` value should contain **only the hostname**, not the `/dfws` path or the port number appended to the FQDN. The DFweb application automatically appends `/dfws/v5` when making API calls.

Configuration Details:

- Connects to DFws API at `https://example.com` (routes through nginx to port 4433)
- Runs on port 8443
- Base path is `/dfweb/`

Application Structure

- Client application (`/opt/dfweb/dist/client/index.html`): **Base href** `/dfweb/data/`
- Flutter application (`/opt/dfweb/dist/flutter/index.html`): **Base href** `/dfweb/`

Request Flow

1. User navigates to `https://example.com/dfweb/`
2. Request arrives at nginx on port 443
3. Nginx terminates TLS connection
4. Nginx forwards request to `https://example.com:8443/dfweb/`
5. DFweb application processes the request
6. Response travels back through nginx to the user

Nginx Location Block for DFweb

```
location ^~ /dfweb/ {
    proxy_pass https://example.com:8443/dfweb/;
    proxy_http_version 1.1;

    proxy_set_header Host $host;
    proxy_set_header X-Real-IP $remote_addr;
    proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
    proxy_set_header X-Forwarded-Proto https;
    proxy_set_header X-Forwarded-Port 443;

    proxy_set_header Upgrade $http_upgrade;
    proxy_set_header Connection "upgrade";

    proxy_ssl_server_name on;
    proxy_ssl_verify off;
}

location = /dfweb {
    return 301 /dfweb/?$args;
}
```

Troubleshooting

Cannot access DFweb:

- Verify service is running: `systemctl status -l dfweb`
- Check port is listening: `netstat -tlnp | grep 8443`
- Ensure URL includes trailing slash: `/dfweb/`

API connection issues:

- Verify `environment.json` has correct `dfws` value (hostname only, no `/dfws` path or port number specification)

:4433)

- Check nginx is proxying requests correctly
- Review nginx error logs: `/var/log/nginx/error.log`

DFengage Application

Access Information

- **Primary URL:** `https://example.com/dfengage/`
- **Backend Port:** 9443
- **Base Directory:** `/opt/dfengage/`
- **Default Application:** Also accessible via the root URL `https://example.com/`

Important: Accessing `/dfengage` without the trailing slash will automatically redirect to `/dfengage/`

Configuration

File Location: `/opt/dfengage/environment.json`

```
{
  "ip": "10.2.0.4",
  "port": "9443",
  "baseHref": "dfengage"
}
```

Configuration Details:

- Listens on IP 10.2.0.4
- Runs on port 9443
- Base path is `/dfengage/`

Application Structure

- Flutter application (`/opt/dfengage/dist/flutter/index.html`): **Base href** `/dfengage/`

Request Flow

1. User navigates to `https://example.com/dfengage/` (or just `/dfengage`)
2. Request arrives at nginx on port 443
3. Nginx terminates TLS connection
4. Nginx forwards request to `https://example.com:9443/dfengage`
5. DFengage application processes the request
6. Response travels back through nginx to the user

Nginx Location Blocks for DFengage

```
location ^~ /dfengage/ {
    proxy_pass https://example.com:9443/dfengage/;
    proxy_http_version 1.1;

    proxy_set_header Host $host;
    proxy_set_header X-Real-IP $remote_addr;
    proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
    proxy_set_header X-Forwarded-Proto https;
}
```

```
proxy_set_header X-Forwarded-Port 443;

proxy_set_header Upgrade $http_upgrade;
proxy_set_header Connection "upgrade";

proxy_ssl_server_name on;
proxy_ssl_verify off;
}

location = /dfengage {
    return 301 /dfengage/?$args;
}
```

Catch-all route (default to DFengage)

```
location / {
    proxy_pass https://example.com:9443/dfengage;
    proxy_http_version 1.1;

    proxy_set_header Host $host;
    proxy_set_header X-Real-IP $remote_addr;
    proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
    proxy_set_header X-Forwarded-Proto https;
    proxy_set_header X-Forwarded-Port 443;

    proxy_set_header Upgrade $http_upgrade;
    proxy_set_header Connection "upgrade";

    proxy_ssl_verify off;
    proxy_ssl_server_name on;
}
```

NOTE: The catch-all route means any URL not matching specific paths (/dfweb/, /dfws/) will be routed to DFengage.

Troubleshooting

Cannot access DFengage:

- Verify service is running: `systemctl status -l dfengage`
- Check port is listening: `netstat -tlnp | grep 9443`
- Review application logs in `/opt/dfengage/` directory
- Ensure URL includes trailing slash: `/dfengage/`

Unexpected routing to DFengage:

- This is expected behavior - DFengage is the default application
- Any URL not matching `/dfweb/` or `/dfws/` will route to DFengage

DFws (Web Service API) Configuration for Nginx

Access Information

- **API Endpoint:** `https://example.com/dfws/`

- **Backend Port:** 4433
- **Base Directory:** /opt/dfws/

Important for Application Configuration

When configuring DFweb, DFengage, or DFcollect applications to connect to the DFws API, use **only the hostname** without the /dfws hostname only or port number specification:

```
"dfws": "https://example.com"
```

NOTE: These applications automatically append /dfws/v5 (or the appropriate API version path) to the base URL. The nginx reverse proxy then routes requests from /dfws/ to the backend DFws service on port 4433.

API Call Flow Example

1. Application configured with: "dfws": "https://example.com"
2. Application makes request to: https://example.com/dfws/v5/endpoint
3. Nginx receives request at: /dfws/v5/endpoint
4. Nginx proxies to: https://example.com:4433/dfws/v5/endpoint
5. DFws service processes the request on port 4433

Incorrect Configuration (do not use):

```
"dfws": "https://example.com/dfws" **WRONG** - will result in /dfws/dfws/v5
```

Configuration

File Location: /opt/dfws/dfws.cf

```
DFWS_PORT=4433
DFWS_SSL_KEY=/etc/ssl/private/server.key
DFWS_SSL_CERT=/etc/ssl/certs/server.crt
DFWS_DATABASE=/opt/dfws/dfws.db
DFWS_REVERSE_PROXY=1
DFWS_HOST_FQDN=example.com
```

Core Settings

- **Port:** 4433 (HTTPS)
- **SSL Certificate:** /etc/ssl/certs/server.crt
- **SSL Key:** /etc/ssl/private/server.key
- **Database:** /opt/dfws/dfws.db (SQLite database for application data)
- **Reverse Proxy:** Enables DFWS to correctly determine the originating client IP address when traffic is routed through a proxy server.
- **Host_FQDN:** A configuration parameter to allow an external facing FQDN to be used in Forgot Password emails. This parameter is only required when an internal hostname is used for the API server's local hostname, in order for Forgot Password emails to work correctly.

Understanding DFWS_REVERSE_PROXY

Set **DFWS_REVERSE_PROXY=true** when DFws is deployed behind a reverse proxy. When enabled, **DFws** recognizes that incoming requests are forwarded and trusts standard proxy headers to determine the client's true network identity and request context:

X-Real-IP – the original client IP address **X-Forwarded-For** – the full proxy chain, with the client IP first
X-Forwarded-Proto – the external request scheme (https)

This allows **DFws** to:

- Record accurate client IP addresses in audit and access logs
- Apply authentication, session handling, and security logic based on the real client IP
- Generate correct login redirects and API responses that reflect the externally visible HTTPS endpoint rather than the internal backend port

When `DFWS_REVERSE_PROXY` is enabled, **DFws** does not rely on the proxy's source IP (such as the NGINX server address) and instead uses the forwarded headers provided by the reverse proxy.

Ensure that your reverse proxy explicitly forwards these headers on all `/dfws/` requests. The recommended NGINX location block for **DFws** already includes the required `X-Real-IP`, `X-Forwarded-For`, and `X-Forwarded-Proto` headers, enabling **DFws** to fully and accurately identify the originating client.

⚠ Warning If `DFWS_REVERSE_PROXY` is not enabled when **DFws** is behind NGINX, **DFws** will log and operate on the proxy's IP address instead of the real client IP, ignore the external request scheme, and may generate incorrect login redirects and audit records. Always enable this setting when using a reverse proxy.

Best Practice for Reverse Proxy Setup:

- This ensures API responses return links pointing to the public-facing URL (port 443) rather than the backend port (4433)
- Current configuration: `DFWS_HOST_FQDN=https://example.com` correctly returns links to the nginx proxy

Optional Configuration Settings

DFws is configured via properties in the `/opt/dfws/dfws.cf` file. Refer to [DFws Configuration File, DFws User Guide](#) for full details .

Nginx Location Block for DFws

The **DFws** location block has special configuration requirements for proper SSL/TLS handling:

```
location ^~ /dfws/ {
    proxy_pass https://example.com:4433;
    proxy_http_version 1.1;

    # FORCE the Host header to match what the backend expects
    proxy_set_header Host example.com;

    # SNI must match the certificate CN=*.example.com
    proxy_ssl_server_name on;
    proxy_ssl_name example.com;

    # Matches the TLS version seen in your curl output
    proxy_ssl_protocols TLSv1.3;

    # Standard proxy headers
    proxy_set_header X-Real-IP $remote_addr;
    proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
    proxy_set_header X-Forwarded-Proto https;

    proxy_ssl_verify off;
}
```

Why these settings are needed:

- **Host Header Override:** Forces the Host header to match backend expectations
- **SNI Configuration:** Ensures Server Name Indication (SNI) matches the wildcard certificate `*.example.com`
- **TLS Protocol Match:** Explicitly sets TLS 1.3 to match backend requirements

Troubleshooting

Cannot access DFws API:

- Verify service is running: `systemctl status -l dfws`
- Check port is listening: `netstat -tlnp | grep 4433`
- Review DFws logs in `/opt/dfws/` directory
- Verify SSL certificates exist and are valid

Applications cannot connect to API:

- **Common Cause:** Incorrect dfws configuration in application's `environment.json` (**DFweb or DFengage**)
 - Verify the dfws value contains **only the hostname**, not the `/dfws` path or port number:
 - `"dfws": "https://example.com"`
 - `"dfws": "https://example.com/dfws"`
- **Why:** Applications automatically append `/dfws/v5` to the base URL. Including `/dfws` in the configuration results in duplicate paths like `/dfws/dfws/v5`

General Troubleshooting

Connection Issues

Problem: Cannot access any application

- Ensure you're using HTTPS (not HTTP)
- Verify nginx is running: `systemctl status -l nginx`
- Verify DNS resolution: `nslookup example.com`
- Confirm server is reachable: `ping 10.2.0.4`

Problem: Upload fails

- File size must be under 50 MB
- **Solution:** Split large files or compress before uploading

SSL Certificate Issues

Problem: Browser shows certificate warning

- **Cause:** Certificate may be self-signed or expired
 - Verify certificate files exist at `/etc/ssl/certs/server.crt` and `/etc/ssl/private/server.key`
 - Certificate expiration: `openssl x509 -in /etc/ssl/certs/server.crt -noout -dates`
 - **Solution:** Contact your system administrator to renew certificates

502 Bad Gateway Errors

Problem: Receiving 502 errors when accessing applications

- **Cause:** Backend application is not running or not responding
- Verify backend services are running
- Review nginx error logs: `tail -f /var/log/nginx/error.log`
- Verify backend ports are listening (see Troubleshooting sections for each app)

Redirect Loop Issues

Problem: Browser shows "too many redirects" error

- **Cause:** Misconfiguration in proxy headers or base href settings
- Verify `X-Forwarded-Proto` is set to `https` in nginx configuration
- Ensure application base href matches nginx location blocks

Performance Issues

Problem: Slow response times

- Server resource usage: `top` or `htop`
- Nginx access logs for slow requests: `tail -f /var/log/nginx/access.log`
- **DFws** connection limits and database performance
- **Solution:** Enable verbose logging in **DFws**: uncomment `DFWS_LOG_THRESHOLD=4`

Administration Guide

Service Restart Order

After configuration changes, restart services in this order:

1. **DFws:** `systemctl restart dfws`
2. **DFweb:** `systemctl restart dfweb`
3. **DFengage:** `systemctl restart dfengage`
4. **Nginx:** `systemctl restart nginx` or `nginx -s reload`

NOTE: Use `nginx -t` to test configuration before restarting nginx.

Configuration File Locations

Component	Configuration File
Nginx	<code>/etc/nginx/conf.d/default.conf</code>
DFws	<code>/opt/dfws/dfws.cf</code>
DFweb	<code>/opt/dfweb/environment.json</code>
DFengage	<code>/opt/dfengage/environment.json</code>
SSL Certificates	<code>/etc/ssl/certs/server.crt</code> and <code>/etc/ssl/private/server.key</code>

Log File Locations

Component	Log Location
Nginx Access	/var/log/nginx/access.log
Nginx Error	/var/log/nginx/error.log
Nginx Service	journalctl -u nginx
DFws	Check /var/log/messages and /opt/dfws/DFwsadmin showlog
DFweb	Check /var/log/messages or journalctl -u dfweb
DFengage	Check /var/log/messages or journalctl -u dfengage

Testing Configuration Changes

Before applying changes to production:

1. **Test nginx configuration:** `nginx -t`
2. **Reload without downtime:** `nginx -s reload` (preferred over restart)
3. **Validate JSON files:** `python3 -m json.tool < /opt/dfweb/environment.json`
4. **Monitor logs during changes:** `tail -f /var/log/nginx/error.log`

Monitoring Commands

```
# Check all services status
systemctl status nginx dfws dfweb dfengage

# Check listening ports
netstat -tlnp | grep -E '443|4433|8443|9443'

# Monitor nginx access in real-time
tail -f /var/log/nginx/access.log

# Monitor nginx errors in real-time
tail -f /var/log/nginx/error.log

# Check SSL certificate expiration
openssl x509 -in /etc/ssl/certs/server.crt -noout -dates
```

SELinux Configuration

If the server runs SELinux in enforcing mode, additional configuration is required to allow nginx and the backend services to operate correctly.

Verify SELinux Status

```
getenforce
sestatus
```

Nginx SELinux Boolean

Nginx runs in the `httpd_t` domain. To allow it to act as a reverse proxy and connect to the backend services, enable the network relay boolean:

```
# Allow nginx to relay connections to backend services
setsebool -P httpd_can_network_relay 1

# Verify
getsebool httpd_can_network_relay
```

Port Labeling

SELinux restricts which TCP ports the `httpd_t` domain can connect to. The backend ports used by DFweb (8443), DFengage (9443), and DFws (4433) must be labeled `http_port_t`.

Check what is already labeled before adding:

```
semanage port -l | grep http_port_t
```

Add any ports not already present:

```
# DFengage backend port
semanage port -a -t http_port_t -p tcp 9443

# DFws backend port
semanage port -a -t http_port_t -p tcp 4433
```

NOTE: Port 8443 (DFweb) is typically included in `http_port_t` by default. Verify with `semanage port -l` before adding to avoid errors.

DFdiscover Application SELinux Policy

The DFdiscover core application (`/opt/dfdiscover/`) requires a separate custom SELinux policy module to be installed. After installing that module, verify the critical file labels are correct:

```
# Verify DFdiscover file contexts
ls -Z /opt/dfdiscover/DFuserdb.log      # expect var_lib_t
ls -Z /opt/dfdiscover/DFuserdb.idx     # expect var_lib_t
ls -Z /opt/dfdiscover/DFadmin.db       # expect var_lib_t
ls -Zd /opt/dfdiscover/bin/            # expect bin_t
ls -Zd /opt/dfdiscover/lib/            # expect var_lib_t
ls -Zd /opt/dfdiscover/work/           # expect var_lib_t

# Check for AVC denials
ausearch -m avc -ts recent | grep -i df
```

If file labels are incorrect, run:

```
restorecon -Rv /opt/dfdiscover/
```

Troubleshooting SELinux Denials

Problem: nginx returns 502 Bad Gateway and AVC denials appear in the audit log

Check for denials:

```
ausearch -m avc -ts recent | grep nginx
journalctl -xe | grep avc
```

Symptom	Likely Cause	Fix
nginx cannot connect to backend	httpd_can_network_relay not enabled	setsebool -P httpd_can_network_relay 1
nginx cannot connect to port 4433 or 9443	Port not labeled http_port_t	semanage port -a -t http_port_t -p tcp <port>
DFdiscover user sync fails	/opt/dfdiscover/DFuserdb.log labeled bin_t instead of var_lib_t	restorecon -Rv /opt/dfdiscover/

Technical Specifications

Supported Features

- HTTPS (TLS 1.3)
- WebSocket connections
- HTTP/2 protocol
- Large file uploads (up to 50 MB)
- Session management
- Real-time communications
- Multiple concurrent users
- Server Name Indication (SNI)
- Reverse proxy with SSL passthrough

Network Requirements

- HTTPS access to port 443
- WebSocket support (no firewall blocking)
- DNS resolution for `example.com`

Common Error Codes

Error Code	Meaning	Common Causes
502 Bad Gateway	Backend not responding	Application down, port blocked
504 Gateway Timeout	Backend took too long	Performance issue, app hanging
413 Payload Too Large	Upload exceeds limit	File larger than 50 MB
301 Moved Permanently	Redirect to trailing slash	Missing trailing slash in URL

Copyrights

External Software Copyrights

DFdiscover software uses several third-party software components as part of its server side and/or client tools.

The copyright information for each is provided below. If you would like to receive source codes of these third-party components, please send us your request at help@dfnetresearch.com.

DCMTK software package

Copyright© 1994-2011, OFFIS e.V. All rights reserved.

This software and supporting documentation were developed by

OFFIS e.V. R&D Division Health Eschereg 2, 26121 Oldenburg, Germany

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of OFFIS nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Jansson

Copyright© 2009-2014 Petri Lehtinen <petri@digip.org>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Mimencode

Copyright© 1991 Bell Communications Research, Inc. (Bellcore)

Permission to use, copy, modify, and distribute this material for any purpose and without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies, and that the name of Bellcore not be used in advertising or publicity pertaining to this material without the specific, prior written permission of an authorized representative of Bellcore. BELLCORE MAKES NO REPRESENTATIONS ABOUT THE ACCURACY OR SUITABILITY OF THIS MATERIAL FOR ANY PURPOSE. IT IS PROVIDED "AS IS", WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES.

RSA Data Security, Inc., MD5 message-digest algorithm

Copyright© 1991-2, RSA Data Security, Inc. Created 1991. All rights reserved. License to copy and use this software is granted provided that it is identified as the "RSA Data Security, Inc. MD5 Message-Digest Algorithm" in all material mentioning or referencing this software or this function. License is also granted to make and use derivative works provided that such works are identified as "derived from the RSA Data Security, Inc. MD5 Message-Digest Algorithm" in all material mentioning or referencing the derived work. RSA Data Security, Inc. makes no representations concerning either the merchantability of this software or the suitability of this software for any particular purpose. It is provided "as is" without express or implied warranty of any kind. These notices must be retained in any copies of any part of this documentation and/or software.

mpack/munpack

Copyright© 1993,1994 by Carnegie Mellon University All Rights Reserved.

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Carnegie Mellon University not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. Carnegie Mellon University makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

CARNEGIE MELLON UNIVERSITY DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL CARNEGIE MELLON UNIVERSITY BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

TIFF

Copyright© 1988-1997 Sam Leffler Copyright© 1991-1997 Silicon Graphics, Inc.

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that (i) the above copyright notices and this permission notice appear in all copies of the software and related documentation, and (ii) the names of Sam Leffler and Silicon Graphics may not be used in any advertising or publicity relating to the software without the specific, prior written permission of Sam Leffler and Silicon Graphics.

THE SOFTWARE IS PROVIDED "AS-IS" AND WITHOUT WARRANTY OF ANY KIND, EXPRESS, IMPLIED OR OTHERWISE, INCLUDING WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL SAM LEFFLER OR SILICON GRAPHICS BE LIABLE FOR ANY SPECIAL, INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES OF ANY KIND, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER OR NOT ADVISED OF THE POSSIBILITY OF DAMAGE, AND ON ANY THEORY OF LIABILITY, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

PostgreSQL

Portions© 1996-2019, PostgreSQL Global Development Group Portions© 1994, The Regents of the University of California

Permission to use, copy, modify, and distribute this software and its documentation for any purpose, without fee, and without a written agreement is hereby granted, provided that the above copyright notice and this paragraph and the following two paragraphs appear in all copies.

IN NO EVENT SHALL THE UNIVERSITY OF CALIFORNIA BE LIABLE TO ANY PARTY FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, INCLUDING LOST PROFITS, ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN IF THE UNIVERSITY OF CALIFORNIA HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

THE UNIVERSITY OF CALIFORNIA SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS ON AN "AS IS" BASIS, AND THE UNIVERSITY OF CALIFORNIA HAS NO OBLIGATIONS TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

OpenSSL License

Copyright© 1998-2019 The OpenSSL Project. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgment: "This product includes software developed by the OpenSSL Project for use in .the OpenSSL Toolkit."
(<https://www.openssl.org/>)
4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact openssl-core@openssl.org.
5. Products derived from this software may not be called "OpenSSL" nor may "OpenSSL" appear in their names without prior written permission of the OpenSSL Project.
6. Redistributions of any form whatsoever must retain the following acknowledgment: "This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit. (<https://www.openssl.org/>)"

THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This product includes cryptographic software written by Eric Young (ey@cryptsoft.com). This product includes software written by Tim Hudson (tjh@cryptsoft.com).

Original SSLeay License

Copyright© 1995-1998 Eric Young (ey@cryptsoft.com) All rights reserved.

This package is an SSL implementation written by Eric Young (eyay@cryptsoft.com). The implementation was written so as to conform with Netscapes SSL.

This library is free for commercial and non-commercial use as long as the following conditions are adhered to. The following conditions apply to all code found in this distribution, be it the RC4, RSA, lhash, DES, etc., code; not just the SSL code. The SSL documentation included with this distribution is covered by the same copyright terms except that the holder is Tim Hudson (tjh@cryptsoft.com).

Copyright remains Eric Young's, and as such any Copyright notices in the code are not to be removed. If this package is used in a product, Eric Young should be given attribution as the author of the parts of the library used. This can be in the form of a textual message at program startup or in documentation (online or textual) provided with the package.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgement: "This product includes cryptographic software written by Eric Young (eyay@cryptsoft.com)" The word "cryptographic" can be left out if the routines from the library being used are not cryptographic related :-).
4. If you include any Windows specific code (or a derivative thereof) from the apps directory (application code) you must include an acknowledgement: "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"

THIS SOFTWARE IS PROVIDED BY ERIC YOUNG "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The licence and distribution terms for any publically available version or derivative of this code cannot be changed. i.e. this code cannot simply be copied and put under another distribution licence [including the GNU Public Licence.]

gawk

GNU GENERAL PUBLIC LICENSE Version 2, June 1991

<https://www.gnu.org/licenses/gpl-2.0.html>

Copyright© 1989, 1991 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor,
Boston, MA 02110-1301, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

1. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

2. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

3. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:
 - a. You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
 - b. You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
 - c. If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate

copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.) These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

4. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:
 - a. Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
 - b. Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
 - c. Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.) The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

5. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.
6. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.
7. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.
8. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of

this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

9. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.
10. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

11. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally. NO WARRANTY
12. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.
13. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

The files in the base, psi, lib, toolbin, examples, doc and man directories (folders) and any subdirectories (sub-folders) thereof are part of GPL Ghostscript.

The files in the Resource directory and any subdirectories thereof are also part of GPL Ghostscript, with the explicit exception of the files in the CMap subdirectory (except "Identity-UTF16-H", which is part of GPL Ghostscript). The CMap files are copyright Adobe Systems Incorporated and covered by a separate, GPL compatible license.

The files under the jpegxr directory and any subdirectories thereof are distributed under a no cost, open source license granted by the ITU/ISO/IEC but it is not GPL compatible - see jpegxr/COPYRIGHT.txt for details.

GPL Ghostscript is free software; you can redistribute it and/or modify it under the terms the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

GPL Ghostscript is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program so you can know your rights and responsibilities. It should be in a file named doc/COPYING. If not, write to the

Free Software Foundation, Inc.,
59 Temple Place Suite 330,
Boston, MA, 02111-1307, USA.

GPL Ghostscript contains an implementation of techniques covered by US Patents 5,055,942 and 5,917,614, and corresponding international patents. These patents are licensed for use with GPL Ghostscript under the following grant:

Whereas, Raph Levien (hereinafter "Inventor") has obtained patent protection for related technology (hereinafter "Patented Technology"), Inventor wishes to aid the the GNU free software project in achieving its goals, and Inventor also wishes to increase public awareness of Patented Technology, Inventor hereby grants a fully paid up, nonexclusive, royalty free license to practice the patents listed below ("the Patents") if and only if practiced in conjunction with software distributed under the terms of any version of the GNU General Public License as published by the

Free Software Foundation, 59 Temple Place, Suite 330, Boston, MA 02111.

Inventor reserves all other rights, including without limitation, licensing for software not distributed under the GNU General Public License.

5055942 Photographic image reproduction device using digital halftoning to para images allowing adjustable coarseness
5917614 Method and apparatus for error diffusion paraing of images with improved smoothness in highlight and shadow regions

MariaDB and FreeTDS

GNU LESSER GENERAL PUBLIC LICENSE Version 2.1, February 1999 <https://www.gnu.org/licenses/lgpl-2.1.html>

Copyright© 1991, 1999

Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method:

1. we copyright the library, and
2. we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

1. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

2. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

3. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:
 - a. The modified work must itself be a software library.
 - b. You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
 - c. You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
 - d. If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful. (For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

4. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

5. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

6. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

7. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License.

Also, you must do one of these things:

- a. Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)
- b. Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that
 - i. uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and
 - ii. will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.
- c. Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
- d. If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
- e. Verify that the user has already received a copy of these materials or that you have already sent this user a copy. For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

- f. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:
 - a. Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
 - b. Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.
- g. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.
- h. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.
- i. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.
- j. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to

patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

- k. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.
- l. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

- m. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

- n. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.
- o. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

QtAV

© Wang Bin wbsecg1@gmail.com Shanghai University->S3 Graphics->Deepin, Shanghai, China 2013-01-21

QtAV is free software licensed under the term of LGPL v2.1. The player example is licensed under GPL v3. If you use QtAV or its constituent libraries, you must adhere to the terms of the license in question.

Rather than repeating the text of the LGPL v2.1, the original text can be found in [GNU LESSER GENERAL PUBLIC LICENSE, Version 2.1](#).

FFmpeg

Most files in FFmpeg are under the GNU Lesser General Public License version 2.1 or later (LGPL v2.1+). Read the file `COPYING.LGPLv2.1` for details. Some other files have MIT/X11/BSD-style licenses. In combination the LGPL v2.1+ applies to FFmpeg.

Rather than repeating the text of the LGPL v2.1, the original text can be found in [GNU LESSER GENERAL PUBLIC LICENSE, Version 2.1](#).

c3.js

The MIT License (MIT) © 2013 Masayuki Tanaka

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

d3.js

Copyright© 2010-2017 Mike Bostock All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. * Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT

LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

jwt-cpp

MIT License

Copyright © 2018 Dominik Thalhammer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the “Software”), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED “AS IS”, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

QXlsx

The MIT License

Copyright © 2017-, <https://github.com/j2doll/QXlsx>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the “Software”), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED “AS IS”, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.