

Software Installation Guide

Software Installation Guide

Release 5.3.0

Publication date Aug 03, 2020

Copyright © 2020 DF/Net Research, Inc.

Abstract

This guide is a step-by-step description of the procedures required to install DFdiscover.

All rights reserved. No part of this publication may be re-transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of DF/Net Research, Inc. Permission is granted for internal re-distribution of this publication by the license holder and their employees for internal use only, provided that the copyright notices and this permission notice appear in all copies.

The information in this document is furnished for informational use only and is subject to change without notice. DF/Net Research, Inc. assumes no responsibility or liability for any errors or inaccuracies in this document or for any omissions from it.

All products or services mentioned in this document are covered by the trademarks, service marks, or product names as designated by the companies who market those products.

Google Play and the Google Play logo are trademarks of Google LLC. Android is a trademark of Google LLC.

App Store is a trademark of Apple Inc.

Table of Contents

Preface	viii
1. Getting Help	viii
2. Conventions	viii
1. Introduction	1
1.1. Software Release	1
1.2. Installation Worksheet	1
2. DFdiscover Software Installation	2
2.1. Staffing	2
2.2. Before Installation	2
2.3. Installation Materials	3
2.4. Installation	3
2.4.1. Migrate User Permissions	3
2.4.2. Linux Installation Instructions	4
2.4.3. Request and Install Server Certificate	5
2.4.4. Request and Install DFdiscover License	7
2.4.5. Migrate pre-2014 studies	8
2.5. Installation Completed	9
3. DFdiscover Configuration	10
3.1. Define DFdiscover capable printer	10
3.2. Start DFdiscover	10
3.3. (Re-)configure DFdiscover Master	11
3.4. Configure Incoming and Outgoing Processes	12
3.5. Configuration Complete	12
4. Integration Testing	13
4.1. Receiving Faxes	13
4.2. Printing from DFdiscover	14
4.3. Faxing from DFdiscover	14
5. Study Installation	16
5.1. A DFdiscover study	16
5.2. Installing the study	16
6. DFdiscover Acceptance Test Kit (ATK) Installation	18
7. Client Desktop Packages Installation	19
7.1. Windows client packages installation [PK01]	19
7.1.1. Requirements	19
7.1.2. Installation	19
7.2. DFdiscover barcoding plug-in for FrameMaker® installation [PK02]	19
7.2.1. Requirements	20
7.2.2. Installation	20
7.2.3. FrameMaker® Configuration	20
8. Installation Completion	21
9. DFdiscover Installation Worksheet	22
9.1. DFdiscover Software Installation	22
9.1.1. Staffing	22
9.1.2. Before Installation	22
9.1.3. Installation Materials	22
9.1.4. Installation for Linux Systems	23
9.1.5. Migrate User Permissions (upgrade install, from versions older than 3.8, only)	23
9.1.6. Request and Install Server Certificate	23
9.1.7. Request and Install DFdiscover License	24
9.1.8. Migration of pre-2014 studies	24
9.2. DFdiscover Configuration	24

9.3. Start DFdiscover	24
9.4. (Re-)configure DFdiscover Master	24
9.5. Configure Incoming and Outgoing Daemons	24
9.6. Integration Testing	24
9.6.1. Receiving Faxes	24
9.6.2. Printing from DFdiscover	25
9.6.3. Faxing from DFdiscover	25
9.7. Study Installation	25
9.7.1. Installing the study	25
9.8. DFdiscover Acceptance Test Kit (ATK) Installation	25
9.9. Client Desktop Package Installation	25
9.10. Installation Completion	25
9.11. Completion Sign-off	26
A. Copyrights - Acknowledgments	27
A.1. External Software Copyrights	27
A.1.1. DCMTK software package	27
A.1.2. Jansson License	27
A.1.3. Mimencode	28
A.1.4. RSA Data Security, Inc., MD5 message-digest algorithm	28
A.1.5. mpack/munpack	28
A.1.6. TIFF	28
A.1.7. PostgreSQL	29
A.1.8. OpenSSL License	29
A.1.9. Original SSLeay License	30
A.1.10. gawk	30
A.1.11. Ghostscript	34
A.1.12. MariaDB and FreeTDS	34
A.1.13. QtAV	40
A.1.14. FFmpeg	40
A.1.15. c3.js	40
A.1.16. d3.js	41
Index	42

List of Figures

2.1. Typical certificate request dialog	6
3.1. Typical login dialog appearance	11

List of Tables

1. Change History viii

List of Examples

4.1. Confirmation of fax archival	13
5.1. Extracting study proto123	17
5.2. Updating ownership and permissions	17

Preface

1. Getting Help

DF/Net Research, Inc.'s Technical Support Department can be contacted Monday to Friday between 9:00 am and 5:00 pm Eastern Time via any of the following methods:

55 Head Street, Suite 403
Dundas, Ontario L9H 3H8
Telephone: (905) 522-3282
Email: <help@dfnetresearch.com>
URL: www.dfnetresearch.com

2. Conventions

A number of conventions have been used throughout this document.

Any freestanding sections of code are generally shown like this:

```
# this is example code  
code = code + overhead;
```

If a line starts with # or %, this character denotes the system prompt and is not typed by the user.

Text may also have several styles:

- Emphasized words are shown as follows: *emphasized words*.
- Filenames appear in the text like so: `dummy.c`.
- Code, constants, and literals in the text appear like so: `main`.
- Variable names appear in the text like so: `nBytes`.
- Text on user interface labels or menus is shown as: **Printer name**, while buttons in user interfaces are shown as **Cancel**.
- Menus and menu items are shown as: **File > Exit**.

Table 1. Change History

Date	Notes
2020/07/20	DFdiscover 2020 Version 5.3.0 Release
2020/08/03	Corrected names of several rpms, pkgs and msi files mis-identified with version 5.2.0

Chapter 1. Introduction

Chapters [DFdiscover Software Installation](#), [DFdiscover Acceptance Test Kit \(ATK\) Installation](#) and [Installation Completion](#) are required for new and upgrade installations. Chapters [DFdiscover Configuration](#), and [Integration Testing](#) are required for new installations only. Implementation of [Client Desktop Packages Installation](#) will be dependent upon the packages that are included with the release. Chapter [Study Installation](#) is required only when a new study setup is available at the time of DFdiscover installation.

Execute chapters and steps in order

All chapters and steps must be executed in document order.

1.1. Software Release

DFdiscover 2020 Version 5.3.0 is a continuation of the DFdiscover 2018 major release, having a major version number of 5, minor version number of 3 (the third minor version) and patch version number of 0 (this is not a patch). It contains everything needed for a complete installation.

1.2. Installation Worksheet

The last chapter, [DFdiscover Installation Worksheet](#), is an installation worksheet that should be completed at the same time as the installation is being performed. Use of the worksheet will confirm that no steps are missed and can subsequently be used as a part of documentation for installation qualification. If a step is not relevant or not required, mark that location of the worksheet NA (or stroke through it), rather than leaving it blank.

Procedures in the body of the guide that must be recorded on the worksheet are marked with [CC##], a cross-reference symbol (XREF), where CC is an acronym for the chapter name and ## is a sequence number for the step within the chapter.

Chapter 2. DFdiscover Software Installation

This chapter ensures that the individuals responsible for DFdiscover have been identified, the materials necessary for the install are available, configures the UNIX environment of the server, and then steps through the installation of the major version.

2.1. Staffing

A successful DFdiscover installation and subsequent properly maintained DFdiscover environment requires the commitment of personnel with different skills. It is essential that these personnel be identified in advance and be trained in the relevant aspects of DFdiscover. The following is a minimal set of job functions for which personnel must be identified. On the worksheet, record the names of one or more staff that will fill each job function. It is entirely acceptable for a single individual to perform more than one of the job functions.

- **UNIX administrator [SI50]** . This job function includes maintenance of the hardware and operating system, supervision of and planning for resources such as disk storage and printers, administration of HylaFAX and modems, supervision of cron jobs, installation of application software and any updates, backup and recovery of data, and the creation of UNIX user accounts. The primary contact is the DFdiscover administrator. Typically this job requires 0.1 FTE.
- **DFdiscover administrator [SI51]** . This job function includes registration of new studies to DFdiscover, administration of user privileges within DFdiscover, starting and stopping of study databases, and monitoring of study database consistency. Typically this job requires 0.1 FTE.
- **Study setup [SI52]** . This job function is responsible for the definition of the study database to DFdiscover which minimally includes importing of the CRFs for setup, definition of variable styles and variables, specification of visit scheduling, and entry of participating centers information. This job function may also be involved in the initial creation of CRFs.
- **Programmer [SI53]** . The programmer is responsible for creating any custom logic checks (referred to as edit checks within DFdiscover) and possibly executing them in batch, creating any study-specific reports, and defining lookup or coding tables.
- **SAS specialist [SI54]** . This job function is responsible for creating **DFsas** specification files, executing them in DFdiscover, and subsequently processing the results in SAS®. This job function may also get involved in the definition of variable names, data types, and coding, and hence may liaise with the study setup job function.
- **Data entry [SI55]** . This job function performs initial (and possibly second, or double data entry) review of received CRFs, verifying the data that was read by ICR, entering data that was not read, adding Queries where necessary, and identifying and resolving duplicates when they occur.
- **Higher-level data review [SI56]** . This job function performs additional data reviews after entry. The focus is on data quality, completeness, and consistency.

2.2. Before Installation

Before beginning installation, the following steps must be completed as they gather information necessary for the install.

- Record the full company name on the worksheet [SI00].
- Record the DFdiscover software release on the worksheet [SI01].

Release numbers are of the form X.Y.Z.

Software Release

These installation instructions are for a specific DFdiscover software release only. Confirm that the software release number on the download matches the software release number at the head of this document.

- Record today's date on the worksheet [SI02].
- Determine the name of the contact person [SI03], the server hostname [SI04], and the version of operating system on the server [SI05]. The contact person, in accordance with the *DFdiscover License Agreement*, should be the DFdiscover administrator or the DFdiscover software user consultant, and will be the primary liaison between end users and DF/Net Research, Inc..
- Confirm the name of a printer that can be accessed from the DFdiscover environment [SI08].
- Confirm that www.dfnetresearch.com can be accessed for obtaining the software release, patches and other downloads [SI09].
- Confirm that the computer that will be running the DFdiscover software is able to send email externally, for example to DF/Net Research, Inc. (<help@dfnetresearch.com>) [SI57].

2.3. Installation Materials

The following materials are required for installation:

- these installation notes [SI13]
- the super-user password for the server machine [SI14]
- the current DFdiscover software release [SI15]
- a copy of the current DFdiscover Release Notes [SI16]
- a copy of the Installation and Initialization chapter of the DFdiscover Acceptance Test Kit documentation [SI18]
- a DFdiscover License Renewal form (or email) [SI21] with a valid license and expiration date for the server host identifier.

Transcribe the values from the form/email to the worksheet: hostid [SI37], hostname [SI38], # of users [SI39], expiry date [SI40], features [SI42], password [SI41]

- a support username [SI22] and support password [SI23] that will grant access to the support section of www.dfnetresearch.com

If the first study setup is being supplied by DF/Net Research, Inc., the study setup [SI24] is also required.

2.4. Installation

The steps in this section require the DFdiscover software media from download and super-user privileges.

2.4.1. Migrate User Permissions

This section is skipped for a new installation or when upgrading from release 3.8 or later.

Important

The steps in this section are required for an upgrade installation from releases prior to 3.7-004 and *must be completed before re-starting DFdiscover for the first time*.

The steps in this section require super-user privileges.

The permissions structures have been extended significantly beginning with the 3.8 release and existing user and permission definitions must be migrated to these new structures. To assist with this migration, **DFuserdb**, has been included with the release.

To migrate existing user permissions to the new structures [SI60], execute:

```
# /opt/dfdiscover/bin/DFuserdb -migrate
```

The program creates `/opt/dfdiscover/lib/DFuserdb.log`, the new permissions structure, and archives the old files which are no longer needed, for example `/opt/dfdiscover/lib/DFperm`. After the program has run, an administrator should review the migrated user and role definitions via **DFadmin**. In particular, they may choose to assign more meaningful role names to those generated by **DFuserdb**. More information about **DFuserdb** can be found in [Programmer Guide, DFuserdb](#).

2.4.2. Linux Installation Instructions

DFdiscover 2020 is supported on Novell openSUSE version Leap 42.1 and newer, SUSE Tumbleweed and Redhat Enterprise Linux (CentOS) versions 7.X and 8.X. DFdiscover is a 64-bit server application - it installs on the 64-bit versions of any of these Linux distributions. It will not run on 32-bit systems. Other Linux distributions may work, but are unsupported. Debian distributions such as Ubuntu will not work at this time.

Procedure 2.1. Before you install DFdiscover

1. If this is a new installation, *DO NOT CREATE* a `datafax` user account or `/opt/dfdiscover` directory. These tasks are completed automatically by the installer. The installer also adds the DFdiscover executables to the system-wide path and installs DFdiscover as a **systemd** service.
2. If this is an upgrade of a DataFax server, there are several important changes that will be performed on your system. It is **HIGHLY** recommended that you have a complete backup or snapshot of your server prior to upgrading. Ensure that the `datafax` account is not in use as the installer moves `/opt/datafax` to `/opt/dfdiscover` and resets the `datafax` account home directory to the new file structure. The systemwide path to the software is automatically adjusted. Existing configuration files are automatically adjusted to match the new file structure.
3. If this is an upgrade of a DFdiscover server, no special changes are required.

Procedure 2.2. Installing DFdiscover

1. Download and save the software rpm, from www.dfnetresearch.com to a local hard drive. Login to your server as `root`.
2. If this is an upgrade, stop DataFax/DFdiscover, and erase the current version.

- Stop DataFax or DFdiscover as follows:

```
# DFshutdown -f
```

- On openSUSE, use **zypper** to remove DataFax / DFdiscover as follows:

```
# zypper remove datafax
```

or

```
# zypper remove dfdiscover
```

- RHEL uses **yum** as follows:

```
# yum remove datafax
```

or

```
# yum remove dfdiscover
```

3. A complete installation will require approximately 1.7 Gb of free disk space for the software and documentation. The software will be installed into `/opt/dfdiscover`. Record the installation directory [SI32].

Execute the installation command appropriate for the operating system.

- On openSUSE, use **zypper**, which will automatically download and install any dependencies required:

```
# zypper --no-gpg-checks install dfdiscover-5.3-0.x86_64.rpm
```

- On RHEL, first install the epel-release repo (if you haven't already) as follows:

```
# yum install epel-release
```

Then install DFdiscover using **yum**:

```
# yum --nogpgcheck install dfdiscover-5.3-0.x86_64.rpm
```

4. Record that the Linux installation completed successfully on the worksheet [LX00].

2.4.3. Request and Install Server Certificate

Note

If you are upgrading from 3.8 or later and already have a valid certificate, you can skip this step.

If you have acquired a certificate from a commercial CA, you can skip this step.

The steps in this section require super-user privileges.

DFexplore and other DFdiscover client applications communicate with the DFdiscover server using TLS (Transport Layer Security, specifically TLS v1.2 and TLS v1.3, in the same way that Internet banking sites do. TLS provides an encrypted path through the internet that prevents eavesdropping and modification of your data by third parties. Each DFdiscover client checks that it is communicating with the correct DFdiscover server by means of a certificate which encodes the DFdiscover server's name and ownership. This certificate is generated by choosing a very large random number (a key), adding organizational ownership information to it and then requesting that DF/Net Research, Inc. certify this key as authentic. When an **DFexplore** client connects to the DFdiscover server, it asks for this certificate and can then determine whether it is communicating with the correct server.

The process of generating a certificate starts with the execution of **DFserveradmin** which generates the random number and then prompts for required organizational information, including the country, state, organization name and server name. Once this information has been provided, an email is generated to `<certreq@dfnetresearch.com>`. containing a request to certify that this is an authentic DFdiscover server. DF/Net Research, Inc. processes this request and emails back a small file containing the certificate, which is then installed into the DFdiscover system. Once this step has been completed, DFdiscover and **DFexplore** can be used.


Procedure 2.3. Request Server Certificate

1. Login as super-user.

2. Use DFserveradmin to create the certificate request [CI01]

The certificate request is created with the **DFserveradmin** program. Click [Request an SSL certificate signing for DFedcservice](#) and enter the appropriate values for each of the fields.

Figure 2.1. Typical certificate request dialog



The screenshot shows a window titled "DFserveradmin - DFdiscover Server Administration". The window has a tabbed interface with "SSL Certificate" selected. The main content area is titled "Request an SSL certificate signing for DFedcservice". It contains the following fields:

- Country (2 letter code): US
- State or Province (Full name): New York
- Locality Name (City): New York
- Organization Name (Company): Clinical Research Solutions International
- Organizational Unit (Section): Data Management
- DFdiscover Server Domain Name: datafax.crsi.com
- Email: datafax@crsi.com

A "Send Request" button is located at the bottom of the form.

Once you have entered the required data, click [Send Request](#) to submit the certificate signing request to DF/Net Research, Inc..

Outgoing email

The certificate signing request is emailed to DF/Net Research, Inc. from the machine where the **DFserveradmin** program was executed. This machine must be able to send email to the internet (in other words, outside of any corporate intranet). If that is not possible, the files `/tmp/cert.csr.txt` and `/tmp/cert.csr` can be transferred (use binary mode if doing this via ftp) to another machine and sent as attachments in an email to `<certreq@dfnetresearch.com>`.

3. Wait for the certificate

This is the end of the procedure for generating a certificate request. You can expect an email with a signed certificate within 24 hours on business days.

In the interim, it is still possible to proceed as **DFserveradmin** also generates a self-signed certificate that is valid for 10 days.

Procedure 2.4. Install Server Certificate

1. Determine install location

The server certificate must be installed in the location referenced by the `certificate` keyword in the `/opt/dfdiscover/lib/DFedcservice.cf` file. For example, this `DFedcservice.cf` file:

```
master localhost
```

```
key /opt/discover/lib/edckey.pem
certificate /opt/discover/lib/edccert.pem
documentroot /opt/discover/edcdocs
```

identifies `/opt/discover/lib/edccert.pem` as the location of the server certificate.

2. Save the signed certificate [\[CI02\]](#)

The signed certificate will be emailed back to the email address that was specified as the `Email Address` in the certificate request procedure. Typically it will appear as a small (~1KB) attachment named `edccert.pem`.

Save the attachment to the filename identified in the first step. If `DFcertReq` also generated a self-signed certificate, that certificate will be overwritten by this permanent, signed certificate.

This is the end of the steps necessary to request and install a server certificate.

2.4.4. Request and Install DFdiscover License

The process of requesting and installing a DFdiscover license is described in this section.

DFdiscover is licensed on an annual basis for a specified maximum number of concurrent users working on a uniquely identified DFdiscover server. Each license is unique to the combination of server identifier, features, expiry date, and number of licensed users. If any of these values changes, the existing license becomes invalid and a new license is required. Please note that if you are upgrading an existing DataFax server you will need to request a replacement license as the old license will no longer work once DFdiscover is installed.¹

Procedure 2.5. Request DFdiscover License

1. Determine server identifier

The unique server identifier [\[LI01\]](#) can be determined with the `DFhostid` command, as in:

```
# /opt/dfdiscover/bin/DFhostid
SG8D-QM2L-V8TK-PFB5-DDEG
```

The output is a 20 character/digit identifier displayed in 5 blocks of 4. Note that the identifier will never contain any of 0 (zero), 1 (one), I (capital i), or O (capital o).

2. Forward server identifier to DF/Net Research, Inc.

Contact DF/Net Research, Inc. via telephone or email and provide them with this unique server identifier. Using the server identifier, and other license information including the expiry date, the number of licenses purchased, and any additional licensed features (such as web services or large study numbers), DF/Net Research, Inc. will generate a unique license. The license information will be emailed to the DFdiscover administrator.

3. Install DFdiscover License

The license will arrive in the body of an email message and have the following appearance:

```
hostid SG8D-QM2L-V8TK-PFB5-DDEG
hostname <replace_with_your_hostname>
nclients 12
expiration 20191231
```

¹ DFdiscover employs a concurrent user license mechanism based on a unique host identifier, which requires one machine on the network to act as the central DFdiscover server. Choose a machine that is reliable (infrequently down) and is accessible by all potential DFdiscover client machines. If another server replaces the selected server in the future, a new license must be requested from DF/Net Research, Inc..

```
password      2SQG-PGVG-BVXY-87BU-YYBL
features      DFWS,LS
```

Save the license [LI03] to the file `/opt/dfdiscover/work/license` (note the license will always be stored in this location, it is not customizable).

4. Update hostname in DFdiscover License [LI04]

In the installed license, the value for the `hostname` keyword must be updated. Edit the saved license and replace `<replace_with_your_hostname>` with the actual hostname of the server (this can be the fully qualified name or the nickname). Be careful to use the correct name and spell it correctly - if the hostname is inaccurate, DFdiscover will not start. Save the changes to the license file.

2.4.5. Migrate pre-2014 studies

This step is applicable **only** if you have studies that were created in pre-2014 versions of DataFAX. It must be performed by super-user.

DFdiscover requires that studies from pre-2014.0.0 DataFAX installations be migrated using the **DFmigrate** program to take advantage of new features. **DFmigrate** will determine which steps need to be taken based on the version of DFdiscover that the study is from. These changes may include moving edit checks to an `ecsrc` directory and moving the lookup tables into a `lut` directory.

Procedure 2.6. Upgrading all Studies

- To upgrade all studies on your system, as super-user run:

```
# /opt/dfdiscover/utills/DFmigrate -a
```

The following shows example output from this command:

```
*****
DFmigrate: Study 254 - /opt/studies/val254 - Thu Apr 18 15:04:33 2019
*****
Step 1: Updating DFserver.cf
-----
File Converted: /opt/studies/val254/lib/DFserver.cf
Step 2: Converting DFsetup
-----
File Converted: /opt/studies/val254/lib/DFsetup
File Converted: /opt/studies/val254/lib/DFschema
File Converted: /opt/studies/val254/lib/DFschema.stl
File Converted: /opt/studies/val254/lib/DFtips

Step 3: Moving Lookup Tables to lut directory
-----
Following lookup table files moved from study's lib to lut dir:
aecodes.lut
drugs.lut
investigators.lut

Step 4: Moving Edit Checks code to ecsrc directory
-----
DFedits already exist in ecsrc directory.
```



```
Step 5: Converting postscript to png and old tiffs to png
-----
WARNING: PNG files already exist for plates: 1-11, 20.

Study migration was successful.

~~~~~
DONE:
Migration has been performed on the following study: 254
Please review dfmigrate_errors for any migration errors
or warnings and/or manual steps that may be required.
~~~~~
#
```

In some cases (as in the example above), the background images used by **DFprintdb** will not be automatically converted. If you use **DFprintdb** and get a conversion error, you will need to re-import the backgrounds from the original PostScript® or PDF file using **DFsetup**.

Record that the pre-2014 studies migration completed successfully on the worksheet [\[MG00\]](#).

2.5. Installation Completed

Congratulations! You have installed DFdiscover on your system. There are additional steps to be followed to ensure that your DFdiscover system is up-to-date and also to configure the various components. These are outlined in the following chapters.

Chapter 3. DFdiscover Configuration

Upgrade installation

These steps are required for a new installation only. If this is an upgrade install, execute

```
# systemctl start dfdiscover.service
```

to restart DFdiscover. Then complete [Define DFdiscover capable printer](#) and skip to [Study Installation](#).

This chapter completes the configuration of DFdiscover. After completing these steps, DFdiscover will be operational.

3.1. Define DFdiscover capable printer

DFdiscover is able to print to printers that are either local to the server or networked. The printers must already be configured and named on the DFdiscover server, which is typically a UNIX administration issue. Given the set of printer names which are known to the system, that complete set, or a subset thereof, needs to be configured in DFdiscover. This is done by creating the file `/opt/dfdiscover/lib/DFprinters`.

Procedure 3.1. Define DFdiscover printers

1. **Edit, or create, `/opt/dfdiscover/lib/DFprinters`**

Use your favorite editor to edit this file.

2. **Add default printer name first**

Of all of the printers that have been identified as being DFdiscover capable, identify the one that will be the default, and add that printer name as the first line of the file. The order that the names appear in the file dictates the order in which they are displayed in any DFdiscover print dialog.

3. **Add additional printers, if any**

Each additional printer name should be added, one per line, following the default printer name.

4. **Save file**

Save the changes made to `/opt/dfdiscover/lib/DFprinters` and exit the editor [\[DF10\]](#).

3.2. Start DFdiscover

It's time to start the DFdiscover services [\[DF12\]](#). Before doing so confirm that a valid DFdiscover license is installed in `/opt/dfdiscover/work/license`.

To start the DFdiscover services, type:

```
% /opt/dfdiscover/bin/DFbootstrap
```

The output will be similar to the following:

```
DFmaster.rpcd: your software license expires in 365 days
1. Checking state of incoming daemons...

2. Checking /opt/dfdiscover/work/.dfincoming_work...
   0 stale incoming entries obsoleted
```

```
3. Checking /opt/dfdiscover/incoming...
  0 faxes awaiting processing.
DFmaster.rpcd: started.
Done.
```

The DFdiscover services have now been started - continue with the next section. If an error prevents the DFdiscover services from starting, it is essential to fix the problem before continuing - the steps in the remaining sections will fail.

The remaining steps in this chapter must be executed by user `datafax`. Exit the super-user shell and become user `datafax`.

3.3. (Re-)configure DFdiscover Master

Start the DFdiscover system administration application with the command:

```
% DFadmin
```


The system administration application is used to configure the DFdiscover master process.

Procedure 3.2. Configure DFdiscover Master [DF06]

1. Login to the DFdiscover administration application

If this is the first time that the administration application is used, enter the nickname or fully qualified name for the licensed DFdiscover server in the **Server** field. The **Login Name** is `datafax` and the **Password** is `passwd` (this is a one-time password that must immediately be changed after authentication). Click **Login**.

Figure 3.1. Typical login dialog appearance



2. Click **Master** to display the **Master** dialog

A complete description of the dialog and the meaning of the individual fields can be found in [System Administrator Guide, DFadmin - Master DFadmin - Master](#). Complete the fields as follows.

a. **Bootstrap Slave Host**

The default value for this field is the hostname of the DFdiscover server. If the default is not filled in, enter the hostname. Multiple hostnames (comma-delimited) are only required when multiple DFdiscover servers are available.

b. **Default Printer**

The value of this field is the name of a local printer. Typically, this should be the same default printer defined in [\[DF10\]](#).

Study-specific printers are defined at study creation time.

3. Select **File** > **Save** to save the changes

The values specified in the dialog are saved.

3.4. Configure Incoming and Outgoing Processes

Incoming and outgoing fax processing is handled by third-party software: DFdiscover can work with either HylaFAX or the Protus fax service. Additionally, outbound service can be handled via email. DFdiscover communicates with the fax software or service by means of inbound and outbound processes that are configured using **DFadmin**.

At this point configure an incoming daemon [\[DF08\]](#) and configure an outgoing daemon [\[DF09\]](#). A complete description of the configuration process can be found in [System Administrator Guide, DFadmin - TrafficDFadmin - Traffic](#).

3.5. Configuration Complete

DFdiscover configuration is now complete. Take this opportunity to update the worksheet. The next chapter describes several optional integration tests that should be completed to demonstrate that the installation is operating in the expected manner.

Chapter 4. Integration Testing

The integration tests described in this chapter are recommended but not required. Their purpose is to demonstrate that incoming and outgoing faxing is operational, and that printing is correctly defined.

4.1. Receiving Faxes

Note

This test is relevant only if incoming faxing is part of your document workflow. If incoming faxing is not configured, this test will fail.

The purpose of this test is to demonstrate that an incoming fax can be received by DFdiscover, that it is properly archived, and that it can be viewed in **DFexplore**.

Procedure 4.1. To demonstrate incoming fax operation

1. Fax a non-DFdiscover page from a plain paper machine

The purpose of this test is not to demonstrate that a CRF can be recognized as a study CRF, and so a simple cover page of any type is preferred. Fax the page from a traditional fax machine to the number that DFdiscover will receive faxes on [\[IN01\]](#).

2. Monitor the fax modem status lights (HylaFAX only)

During fax reception, various lights on the modem will flash or be illuminated. On Multitech modems the **OH** (off-hook) light will be on during the fax reception and the **RD** (receive data) light will be flashing indicating that information is being received from the sending fax machine. When transmission is complete some of these lights will go out.

3. Confirm fax archival

Within 30 seconds (5 minutes for Protus fax service users) of the end of transmission, DFdiscover will create a new directory under the directory previously defined as the **Archive Directory** by [Configure Incoming and Outgoing Processes](#). The directory name is 4-digits where the first two digits are the year within the century and the last two digits are the week within the year. The contents of the directory will be a single file with a 4-digit name, generally 0001. Confirm that the directory and file are present [\[IN02\]](#).

Example 4.1. Confirmation of fax archival

In this case, the first fax was received on November 14, 2015 (the 46th week of 15). The archive directory was defined as `/opt/dfdiscover/archive`.

```
% cd /opt/dfdiscover/archive
% ls
1546
% cd 1546
% ls
0001
```

4. View the fax in DFexplore

Fax pages that are not barcoded as DFdiscover CRFs will be routed to a holding directory for subsequent manual identification.

Start **DFexplore** with the command:

```
% /opt/dfdiscover/bin/DFexplore
```

Authentication is required. Then click **Image Router** and confirm that the faxed page or pages are present [\[IN03\]](#).

5. Print the page from DFexplore

Choose **Print** from the **Page** menu. In the Print dialog, select the Printer to which you want to print the page and choose **Print** to print the current page.

Confirm that the fax page prints successfully [\[IN04\]](#).

Completion of this section demonstrates that DFdiscover is able to receive faxes and process them.

4.2. Printing from DFdiscover

The purpose of this test is to demonstrate that the previous editing done in [Define DFdiscover capable printer](#) was successful.

Procedure 4.2. Print a plain text file

1. Identify a plain text file

Any text file will work for this test. The file should not be too large - the purpose of the test is to print a text file, not print hundreds of pages of text. A good default file is `/etc/passwd`.

2. Print the file

From a shell prompt, issue the command:

```
% /opt/dfdiscover/lib/DFprint_filter /etc/passwd
```

possibly substituting `/etc/passwd` with the name of the file that you chose to print.

3. Confirm that the text file printed properly [\[IN05\]](#).

4.3. Faxing from DFdiscover

The purpose of this test is to demonstrate proper operation of the previously defined outgoing daemon.

This test will require the fax number of a local paper fax machine to be used as the fax destination.

Procedure 4.3. Fax a plain text file

1. Identify a plain text file

Any text file will work for this test. The file should not be too large - the purpose of the test is to fax a text file, not fax hundreds of pages of text. A good default file is `/etc/passwd`.

2. Fax the file

If the installation is configured to send documents via email, issue the command:

```
% DFsendfax /etc/passwd mailto:recipient
```

where *recipient* is the email address to send to. If the installation is configured to fax documents, issue the command:

```
% DFsendfax /etc/passwd faxnumber
```

where *faxnumber* is the fax number of the local paper fax machine.

Depending upon the **Polling Interval** previously specified in the outgoing daemon configuration, it may take up to 60 seconds for DFdiscover to pass the queued fax to email, HylaFAX or the Protus fax service.

3. **Confirm that the fax was sent successfully**

Wait for a few minutes and confirm that the sent fax has arrived at the destination fax machine or email recipient [\[IN06\]](#).

Chapter 5. Study Installation

This chapter is optional, and generally will not be executed at the time of DFdiscover installation.

The study installation steps described in this chapter will only apply to DFdiscover installations where a new study is ready to be installed at the same time.

5.1. A DFdiscover study

To DFdiscover, a study definition comprises a parent directory and several sub-directories that hold study specific configuration information. As a result of this structure, a study definition can be easily transported by moving the parent directory to a new location. Everything that is needed by the study is contained within that parent directory.

5.2. Installing the study

Become super-user

The steps in this section must be executed by super-user.

Studies that are created by DF/Net Research, Inc. are typically distributed via download link, as a UNIX **tar** file. The procedure described here assumes this structure. Studies that are transported from other vendors or from affiliates within a company may be structured differently. This procedure may need to be modified to fit those specific conventions.

Procedure 5.1. Study Installation

1. Pre-requisite: Create a parent directory for all studies

Generally, (but this is not a requirement) all DFdiscover studies exist under a common parent directory on the DFdiscover server. This directory is typically `/opt/studies`. Create the parent directory, if necessary [\[SS01\]](#):

```
# mkdir -p /opt/studies
```

and update the ownership of the directory so that it is owned by `datafax` and group `studies`:

```
# chown -R datafax /opt/studies
# chgrp -R studies /opt/studies
```

2. Obtain the study tar image

The remaining steps assume that the study tar image is available as `/tmp/study.tar` [\[SS02\]](#).

3. Create a study folder and extract the contents of the tar image

A study setup from DF/Net Research, Inc. will be rooted at the study directory and is easily extracted with **tar**. Create the study folder and extract the tar image contents with commands similar to this [\[SS03\]](#):

```
# cd /opt/studies
# mkdir newstudy
# cd newstudy
# tar xpf /tmp/study.tar
```


Example 5.1. Extracting study proto123

```
# cd /opt/studies
# mkdir proto123
# cd proto123
# pwd
/opt/studies/proto123
# tar xpf /tmp/study.tar
bkgd/...
bkgd/...
...
#
```

4. Update the file permissions and ownership of the extracted study

The owner and group permissions of the extracted study must be updated to reflect the ids for user `datafax` and group `studies` present on the installed system. Update the permissions with the **chown** and **chgrp** commands [SS04].

Example 5.2. Updating ownership and permissions

```
# cd /opt/studies
# chown -R datafax proto123
# chgrp -R studies proto123
```

5. Register the study to DFdiscover

The local DFdiscover installation must now be made aware of the new study. This is accomplished by registering a new study with DFdiscover as described in *System Administrator Guide, StudyAddingAdding a New Study* [SS05].

Chapter 6. DFdiscover Acceptance Test Kit (ATK) Installation

Performance of the procedure in this chapter is not required for the installation, but is highly recommended.

The DFdiscover Acceptance Test Kit is an important part of installation qualification. It allows the end-user to demonstrate that DFdiscover works in a manner that is in accordance with a known set of results.

The installation materials include a printed copy of the Installation and Initialization chapter of the DFdiscover Acceptance Test Kit documentation. These instructions represent the first of eighteen modules in the ATK, and are required for initialization [\[AT01\]](#). A complete description of the remaining modules in the ATK is available after successful completion of the first module. In general, completion of all eighteen modules of the ATK requires one 8-hour day [\[AT02\]](#).

Chapter 7. Client Desktop Packages Installation

DFdiscover includes a number of tools which are available for Windows 10 and macOS 10.14 (Mojave) or later. These can be obtained from www.dfnetresearch.com.

The current Windows 10 packages are:

- `DFdiscover_5_3_0.msi`, containing **DFexplore**, **DFsetup**, **DFadmin**, **DFbarcode**, **DFATK** and several command-line tools.
- `DFexplore_5_3_0.msi`, containing only **DFexplore**.
- `DFsend_5_3_0.msi`, containing only **DFsend**.

The current macOS 10.14 (Mojave) or later packages are:

- `DFdiscover5.3.0.pkg`, containing **DFexplore**, **DFsetup**, **DFadmin**, **DFbarcode**, **DFATK** and several command-line tools.
- `DFexplore5.3.0.pkg`, containing only **DFexplore**.
- `DFsend5.3.0.pkg`, containing only **DFsend**.

7.1. Windows client packages installation [PK01]

7.1.1. Requirements

Installation and proper operation of the Windows client tools requires Windows 10.

7.1.2. Installation

The Windows client tools are distributed as Windows `msi` installer files.

1. Locate the desired client package `msi`

The file can be found on www.dfnetresearch.com in [software releases support website](#).

2. Install from the desired client package

Double-click the desired client package file. Installation begins automatically and behaves similar to other Windows setup programs. The installer will add icons to the Desktop as well as entries in the **Start Programs** menu.

Note

Installation must be performed on the local drive of each Windows machine that is to run the client tools.

7.2. DFdiscover barcoding plug-in for FrameMaker® installation [PK02]

7.2.1. Requirements

Installation and proper operation of the DFdiscover Barcode plug-in requires:

1. FrameMaker 10 through FrameMaker 2017,¹
2. Windows 10

7.2.2. Installation

Note

Installation must be performed on the local drive of each machine that is running FrameMaker®, or on the shared drive if FrameMaker® was installed on a shared drive.

The plug-in is distributed as `barcodet.dll`, a Windows DLL. The file can be found on www.dfnetresearch.com in [software releases support website](#).

The DLL must be copied to the `fminit` directory below the FrameMaker® product installation directory. Use the same name for the copied file. For example:

```
C:\copy "barcodet.dll" "C:\Program Files\Adobe\FrameMaker\fminit\barcodet.dll"
```

7.2.3. FrameMaker® Configuration

The FrameMaker® installation directory, typically `C:\Program Files\Adobe\FrameMaker` or `C:\Users\username\AppData\Roaming\Adobe\FrameMaker\XX\` (where `XX` is the version number), contains a `product.ini` file, typically `maker.ini` or `imaker.ini` or `fmsgml.ini`, depending upon the FrameMaker® version. The `[APIClients]` section of this file lists the clients to load when FrameMaker® starts. Each client description is on a separate line and cannot contain line breaks. A default FrameMaker® installation will already have an `[APIClients]` section that ends with:

```
Mailer=Standard, Send Mail API Client, fminit\mailer.dll  
WordCount=DocReport,Count the number of words in the document, fminit\wordcnt.dll  
BookUtils=Standard, Book Utilities, fminit\bookutils.dll
```

Edit the `maker.ini` file with a text editor, locate the `[APIClients]` section of the file, and add the following text on a new line at the end of the section:

```
DFdiscover=Standard, DFdiscover Barcode Tool, fminit\barcodet.dll, all
```

Save and exit the `maker.ini` file. Configuration is complete.

This procedure needs to be repeated on each computer that will use FrameMaker® to create CRFs for DFdiscover studies.

¹FrameMaker 2019 is not supported at this time.

Chapter 8. Installation Completion

The installation and configuration of DFdiscover is now complete.

Procedure 8.1. To complete the documentation:

1. **Collect together all installation materials and store them in a safe place [CL01]**

If necessary, consult [Installation Materials](#) for the complete list.

2. **Were all required items completed without error [CL02]?**

If there are outstanding items that need input from DF/Net Research, Inc., see [Getting Help](#).

3. **Sign the completed worksheet [CL04]**

The worksheet is an important piece of documentation. Sign it and store it a safe location for future reference.

Thank you for choosing DFdiscover and DF/Net Research, Inc.!

Chapter 9. DFdiscover Installation Worksheet

Use this worksheet as a permanent record of the installation's progress. When completed, sign and date this worksheet and store it together with any other installation qualification (IQ) materials.

Most of the entries in the worksheet require only a checkmark indicating that the step was completed. Some entries require the value of a parameter to be recorded. It is important to record these parameter values as they are assigned because in some cases they are referenced by subsequent steps.

9.1. DFdiscover Software Installation

9.1.1. Staffing

XREF	Parameter	Value
[SI50]	UNIX administrator	
[SI51]	DFdiscover administrator	
[SI52]	Study setup	
[SI53]	Programmer	
[SI54]	SAS specialist	
[SI55]	Data entry	
[SI56]	Higher-level data review	

9.1.2. Before Installation

XREF	Parameter	Value
[SI00]	Company Name	
[SI01]	DFdiscover software release	5.3.0
[SI02]	Date	
[SI03]	Contact Person	
[SI04]	Server Hostname	
[SI05]	Server Operating System	

XREF	Description	Completed?
[SI08]	the name of a printer that can be accessed from the DFdiscover environment	
[SI09]	www.dfnetresearch.com can be accessed	
[SI57]	send email externally, for example to DF/Net Research, Inc. (<help@dfnetresearch.com>)	

9.1.3. Installation Materials

XREF	Parameter	Value
[SI13]	installation notes	

XREF	Parameter	Value
[SI14]	super-user password	
[SI15]	current DFdiscover software release	
[SI16]	current DFdiscover Release Notes	
[SI18]	Installation and Initialization chapter of the DFdiscover Acceptance Test Kit documentation	
[SI21]	DFdiscover License Renewal form	

XREF	Parameter	Value
[SI37]	hostid	
[SI38]	hostname	
[SI39]	# of users	
[SI40]	expiry date	
[SI42]	features	
[SI41]	password	
[SI22]	support username	
[SI23]	support password	

XREF	Description	Completed?
[SI24]	study setup	

9.1.4. Installation for Linux Systems

XREF	Parameter	Value
[SI32]	installation directory	
[LX00]	Linux installation completed successfully	

9.1.5. Migrate User Permissions (upgrade install, from versions older than 3.8, only)

If you are not upgrading from a version older than 3.8, cross out this section.

XREF	Description	Completed?
[SI60]	migrate existing user permissions to the new structures	

9.1.6. Request and Install Server Certificate

XREF	Description	Completed?
[CI01]	Use DFserveradmin to create the certificate request	
[CI02]	Save the signed certificate	

9.1.7. Request and Install DFdiscover License

XREF	Parameter	Value
[LI01]	server identifier	
[LI03]	Save the license	
[LI04]	Update hostname in DFdiscover License	

9.1.8. Migration of pre-2014 studies

If you do not have any pre-2014 studies to migrate, cross out this section.

XREF	Parameter	Value
[MG00]	pre-2014 studies migration completed successfully	

9.2. DFdiscover Configuration

XREF	Description	Completed?
[DF10]	Define DFdiscover printers	

9.3. Start DFdiscover

XREF	Description	Completed?
[DF12]	start the DFdiscover services	

9.4. (Re-)configure DFdiscover Master

XREF	Description	Completed?
[DF06]	Configure DFdiscover Master	

9.5. Configure Incoming and Outgoing Daemons

XREF	Description	Completed?
[DF08]	configure an incoming daemon	
[DF09]	configure an outgoing daemon	

9.6. Integration Testing

9.6.1. Receiving Faxes

XREF	Description	Completed?
[IN01]	Fax a non-DFdiscover page	
[IN02]	Confirm fax archival	

XREF	Description	Completed?
[IN03]	View the fax in DFexplore	
[IN04]	Print the page from DFexplore	

9.6.2. Printing from DFdiscover

XREF	Description	Completed?
[IN05]	Print a plain text file	

9.6.3. Faxing from DFdiscover

XREF	Description	Completed?
[IN06]	Fax a plain text file	

9.7. Study Installation

9.7.1. Installing the study

XREF	Description	Completed?
[SS01]	Create a parent directory for all studies	
[SS02]	Obtain the study tar image	
[SS03]	Create a study folder and extract the contents of the tar image	
[SS04]	Update the file permissions and ownership	
[SS05]	Register the study to DFdiscover	

9.8. DFdiscover Acceptance Test Kit (ATK) Installation

XREF	Description	Completed?
[AT01]	the first of eighteen modules	
[AT02]	completion of all eighteen modules	

9.9. Client Desktop Package Installation

XREF	Description	Completed?
[PK01]	Windows client packages	
[PK02]	DFdiscover barcoding plug-in for FrameMaker®	

9.10. Installation Completion

XREF	Description	Completed?
[CL01]	Collect together all installation materials	

XREF	Description	Completed?
[CL02]	all required items completed without error	
[CL04]	Sign the completed worksheet	

9.11. Completion Sign-off

Vendor representative.

Name:	
Title:	
Signature:	
Date:	

Client representative.

Name:	
Title:	
Signature:	
Date:	

Appendix A. Copyrights - Acknowledgments

A.1. External Software Copyrights

DFdiscover software uses several third-party software components as part of its server side and/or client tools.

The copyright information for each is provided below. If you would like to receive source codes of these third-party components, please send us your request at <help@dfnetresearch.com>.

A.1.1. DCMTK software package

Copyright Copyright © 1994-2011, OFFIS e.V. All rights reserved.

This software and supporting documentation were developed by

OFFIS e.V.

R&D Division Health
Eschereg 2
26121 Oldenburg, Germany

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of OFFIS nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

A.1.2. Jansson License

Copyright Copyright © 2009-2014 Petri Lehtinen <petri@digip.org>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,

DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

A.1.3. Mimencode

Copyright Copyright © 1991 Bell Communications Research, Inc. (Bellcore)

Permission to use, copy, modify, and distribute this material for any purpose and without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies, and that the name of Bellcore not be used in advertising or publicity pertaining to this material without the specific, prior written permission of an authorized representative of Bellcore. BELLCORE MAKES NO REPRESENTATIONS ABOUT THE ACCURACY OR SUITABILITY OF THIS MATERIAL FOR ANY PURPOSE. IT IS PROVIDED "AS IS", WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES.

A.1.4. RSA Data Security, Inc., MD5 message-digest algorithm

Copyright Copyright © 1991-2, RSA Data Security, Inc. Created 1991. All rights reserved. License to copy and use this software is granted provided that it is identified as the "RSA Data Security, Inc. MD5 Message-Digest Algorithm" in all material mentioning or referencing this software or this function. License is also granted to make and use derivative works provided that such works are identified as "derived from the RSA Data Security, Inc. MD5 Message-Digest Algorithm" in all material mentioning or referencing the derived work. RSA Data Security, Inc. makes no representations concerning either the merchantability of this software or the suitability of this software for any particular purpose. It is provided "as is" without express or implied warranty of any kind. These notices must be retained in any copies of any part of this documentation and/or software.

A.1.5. mpack/munpack

Copyright © Copyright 1993,1994 by Carnegie Mellon University All Rights Reserved.

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Carnegie Mellon University not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. Carnegie Mellon University makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

CARNEGIE MELLON UNIVERSITY DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL CARNEGIE MELLON UNIVERSITY BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

A.1.6. TIFF

Copyright Copyright © 1988-1997 Sam Leffler Copyright Copyright © 1991-1997 Silicon Graphics, Inc.

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that (i) the above copyright notices and this permission notice appear in all copies of the software and related documentation, and (ii) the names of Sam Leffler and Silicon Graphics may not be used in any advertising or publicity relating to the software without the specific, prior written permission of Sam Leffler and Silicon Graphics.

THE SOFTWARE IS PROVIDED "AS-IS" AND WITHOUT WARRANTY OF ANY KIND, EXPRESS, IMPLIED OR OTHERWISE, INCLUDING WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL SAM LEFFLER OR SILICON GRAPHICS BE LIABLE FOR ANY SPECIAL,

INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES OF ANY KIND, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER OR NOT ADVISED OF THE POSSIBILITY OF DAMAGE, AND ON ANY THEORY OF LIABILITY, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

A.1.7. PostgreSQL

Portions Copyright © 1996-2019, PostgreSQL Global Development Group Portions Copyright © 1994, The Regents of the University of California

Permission to use, copy, modify, and distribute this software and its documentation for any purpose, without fee, and without a written agreement is hereby granted, provided that the above copyright notice and this paragraph and the following two paragraphs appear in all copies.

IN NO EVENT SHALL THE UNIVERSITY OF CALIFORNIA BE LIABLE TO ANY PARTY FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, INCLUDING LOST PROFITS, ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN IF THE UNIVERSITY OF CALIFORNIA HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

THE UNIVERSITY OF CALIFORNIA SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS ON AN "AS IS" BASIS, AND THE UNIVERSITY OF CALIFORNIA HAS NO OBLIGATIONS TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

A.1.8. OpenSSL License

Copyright Copyright © 1998-2019 The OpenSSL Project. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgment: "This product includes software developed by the OpenSSL Project for use in .the OpenSSL Toolkit." (<http://www.openssl.org/>)
4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact openssl-core@openssl.org.
5. Products derived from this software may not be called "OpenSSL" nor may "OpenSSL" appear in their names without prior written permission of the OpenSSL Project.
6. Redistributions of any form whatsoever must retain the following acknowledgment: "This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"

THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This product includes cryptographic software written by Eric Young (<eay@cryptsoft.com>). This product includes software written by Tim Hudson (<tjh@cryptsoft.com>).

A.1.9. Original SSLeay License

Copyright Copyright © 1995-1998 Eric Young (<eay@cryptsoft.com>) All rights reserved.

This package is an SSL implementation written by Eric Young (<eay@cryptsoft.com>). The implementation was written so as to conform with Netscapes SSL.

This library is free for commercial and non-commercial use as long as the following conditions are aheared to. The following conditions apply to all code found in this distribution, be it the RC4, RSA, lhash, DES, etc., code; not just the SSL code. The SSL documentation included with this distribution is covered by the same copyright terms except that the holder is Tim Hudson (<tjh@cryptsoft.com>).

Copyright remains Eric Young's, and as such any Copyright notices in the code are not to be removed. If this package is used in a product, Eric Young should be given attribution as the author of the parts of the library used. This can be in the form of a textual message at program startup or in documentation (online or textual) provided with the package.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgement: "This product includes cryptographic software written by Eric Young (<eay@cryptsoft.com>)" The word "cryptographic" can be left out if the rouines from the library being used are not cryptographic related :-).
4. If you include any Windows specific code (or a derivative thereof) from the apps directory (application code) you must include an acknowledgement: "This product includes software written by Tim Hudson (<tjh@cryptsoft.com>)"

THIS SOFTWARE IS PROVIDED BY ERIC YOUNG "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The licence and distribution terms for any publically available version or derivative of this code cannot be changed. i.e. this code cannot simply be copied and put under another distribution licence [including the GNU Public Licence.]

A.1.10. gawk

GNU GENERAL PUBLIC LICENSE Version 2, June 1991

<http://www.gnu.org/licenses/gpl-2.0.html>

Copyright Copyright © 1989, 1991 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor,
Boston, MA 02110-1301, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

1. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

2. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

3. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a. You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b. You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c. If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.) These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

4. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:
 - a. Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
 - b. Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
 - c. Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.) The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

5. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.
6. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your

acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

7. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.
8. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

9. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.
10. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

11. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally. NO WARRANTY

12. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

13. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED

ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

A.1.11. Ghostscript

The files in the base, psi, lib, toolbox, examples, doc and man directories (folders) and any subdirectories (sub-folders) thereof are part of GPL Ghostscript.

The files in the Resource directory and any subdirectories thereof are also part of GPL Ghostscript, with the explicit exception of the files in the CMap subdirectory (except "Identity-UTF16-H", which is part of GPL Ghostscript). The CMap files are copyright Adobe Systems Incorporated and covered by a separate, GPL compatible license.

The files under the jpegxr directory and any subdirectories thereof are distributed under a no cost, open source license granted by the ITU/ISO/IEC but it is not GPL compatible - see jpegxr/COPYRIGHT.txt for details.

GPL Ghostscript is free software; you can redistribute it and/or modify it under the terms the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

GPL Ghostscript is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program so you can know your rights and responsibilities. It should be in a file named doc/COPYING. If not, write to the

Free Software Foundation, Inc., 59 Temple Place Suite 330, Boston, MA
02111-1307, USA.

GPL Ghostscript contains an implementation of techniques covered by US Patents 5,055,942 and 5,917,614, and corresponding international patents. These patents are licensed for use with GPL Ghostscript under the following grant:

Whereas, Raph Levien (hereinafter "Inventor") has obtained patent protection for related technology (hereinafter "Patented Technology"), Inventor wishes to aid the the GNU free software project in achieving its goals, and Inventor also wishes to increase public awareness of Patented Technology, Inventor hereby grants a fully paid up, nonexclusive, royalty free license to practice the patents listed below ("the Patents") if and only if practiced in conjunction with software distributed under the terms of any version of the GNU General Public License as published by the

Free Software Foundation, 59 Temple Place, Suite
330, Boston, MA 02111.

Inventor reserves all other rights, including without limitation, licensing for software not distributed under the GNU General Public License.

5055942 Photographic image reproduction device using digital halftoning to para images allowing adjustable coarseness
5917614 Method and apparatus for error diffusion paraing of images with improved smoothness in highlight and shadow regions

A.1.12. MariaDB and FreeTDS

GNU LESSER GENERAL PUBLIC LICENSE Version 2.1, February 1999 <http://www.gnu.org/licenses/lgpl-2.1.html>

Copyright Copyright © 1991, 1999

Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method:

1. we copyright the library, and
2. we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

1. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

2. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

3. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a. The modified work must itself be a software library.
- b. You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c. You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d. If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful. (For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

4. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

5. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

6. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a “work that uses the Library” uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

7. As an exception to the Sections above, you may also combine or link a “work that uses the Library” with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer’s own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License.

Also, you must do one of these things:

- a. Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable “work that uses the Library”, as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)
- b. Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that
 - i. uses at run time a copy of the library already present on the user’s computer system, rather than copying library functions into the executable, and
 - ii. will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.
- c. Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
- d. If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
- e. Verify that the user has already received a copy of these materials or that you have already sent this user a copy. For an executable, the required form of the “work that uses the Library” must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

- f. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:
 - a. Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
 - b. Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.
- g. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.
- h. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.
- i. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.
- j. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

- k. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.
- l. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

- m. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

- n. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

- o. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

A.1.13. QtAV

Copyright © Wang Bin <wbsecg1@gmail.com> Shanghai University->S3 Graphics->Deepin, Shanghai, China 2013-01-21

QtAV is free software licensed under the term of LGPL v2.1. The player example is licensed under GPL v3. If you use QtAV or its constituent libraries, you must adhere to the terms of the license in question.

Rather than repeating the text of the LGPL v2.1, the original text can be found in [GNU LESSER GENERAL PUBLIC LICENSE, Version 2.1 \[34\]](#).

A.1.14. FFmpeg

Most files in FFmpeg are under the GNU Lesser General Public License version 2.1 or later (LGPL v2.1+). Read the file `COPYING.LGPLv2.1` for details. Some other files have MIT/X11/BSD-style licenses. In combination the LGPL v2.1+ applies to FFmpeg.

Rather than repeating the text of the LGPL v2.1, the original text can be found in [GNU LESSER GENERAL PUBLIC LICENSE, Version 2.1 \[34\]](#).

A.1.15. c3.js

The MIT License (MIT) Copyright © 2013 Masayuki Tanaka

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify,

merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED “AS IS”, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

A.1.16. d3.js

Copyright 2010-2017 Mike Bostock All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. * Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS “AS IS” AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Index

A

Acceptance Test Kit, [18](#)

B

Bootstrap, [12](#)

C

c3.js, [40](#)

Certificates, [5](#)

Configuration, [10-12](#)

D

d3.js, [41](#)

Data entry, [2](#)

Data review, [2](#)

DCMTK, [27](#)

Desktop Packages, [19](#)

DFdiscover Master, [11](#)

E

External Software Copyrights, [27-41](#)

c3.js, [40](#)

d3.js, [41](#)

DCMTK, [27](#)

FFmpeg, [40-41](#)

gawk, [30-34](#)

Ghostscript, [34-34](#)

Jansson License, [27-28](#)

MariaDB and FreeTDS, [34-40](#)

Mimencode, [28](#)

mpack/munpack, [28](#)

OpenSSL License, [29-30](#)

PostgreSQL, [29](#)

QtAV, [40](#)

RSA Data Security, Inc., MD5 message-digest algorithm, [28](#)

TIFF, [28](#)

F

Fax a File, [14](#)

Fax Archival, [13, 24](#)

Faxing, [14](#)

FFmpeg, [40](#)

File Ownership, [17](#)

File permissions, [17](#)

Framemaker, [19](#)

FreeTDS, [34](#)

G

gawk, [30](#)

Ghostscript, [34](#)

I

Incoming Processes, [12](#)

Installation, [2-9](#)

Acceptance Test Kit, [18](#)

Before Installation, [2](#)

Desktop Packages, [19-20](#)

Downloading Software, [4](#)

Framemaker plug-in, [20](#)

License, [7](#)

Linux, [4](#)

Materials, [3](#)

Prior to Installation, [4](#)

Windows Client Packages, [19](#)

Installation Worksheet, [22, 22-26](#)

Before Installing, [22](#)

License, [24](#)

Linux Systems, [23](#)

Materials, [22](#)

Migration, [23, 24](#)

Server Certificate, [23](#)

Software, [22](#)

Installing a study, [16](#)

Integration Testing, [13-15](#)

Introduction, [1](#)

J

Jansson, [27](#)

L

License Installation, [7](#)

Licensing, [7](#)

Linux, [4](#)

M

macOS 10.14 (Mojave) or later, [19](#)

MariaDB, [34](#)

Migration

Studies, [8](#)

Upgrading Studies, [8](#)

User permissions, [4](#)

Mimencode, [28](#)

mpack/munpack, [28](#)

O

OpenSSL, [29](#)

openSUSE, [4](#)

Outgoing Processes, [12](#)

P

PostgreSQL, [29](#)
Printer, [10](#), [12](#)
Printing, [14](#)
Programmer, [2](#)

Q

QtAV, [40](#)

R

Receiving Faxes, [13](#)
Register a Study, [17](#)
RHEL, [4](#)
RSA Data Security, [28](#)

S

SAS specialist, [2](#)
Server Certificate, [5](#)
Software Release, [3](#)
Staffing, [2](#)
Starting DFdiscover, [10](#)
Stopping DataFax, [4](#)
Study Installation, [16-17](#)
Study Setup, [2](#)
Study tar image, [16](#)
Supported Versions, [4](#)

T

TIFF, [28](#)

U

Upgrade, [10](#)
User Permissions, [4](#)

V

Viewing Faxes, [13](#)

W

Windows 10, [19](#)